

A person wearing a blue shirt and a yellow life vest is holding a large, greenish-brown fish, likely a bass, in front of a white boat. The fish is held horizontally, and the person's hands are visible supporting it. The background shows a concrete surface and some dry vegetation.

# 2014 Lake Mohave General Fish Survey Results

# Cooperators

- Arizona Game and Fish Department
- Nevada Department of Wildlife
- National Park Service-Lake Mead  
National Recreation Area
- US Bureau of Reclamation
- US Fish and Wildlife Service
- THANK YOU!

# Arizona Protocol for Fisheries Management 2003

## Lake stratified into thirds


- ❖ 50 randomly selected netting sites
  - ◀>>>↳ Typically 20 sites on lower section, 20 on the middle section and 10 on the upper section.
  - Lower: mile 0-11.75 Davis Dam to Clam Cove
  - Middle: mile 11.75-30 Clam Cove to Twin Cove
  - Upper: mile 30-63 Twin Cove to Hoover Dam

# Comparison of the average Spring Netting Effort from 2004-2013 to 2014 Effort

2004-2013 = 770 average net hours

2014 = 778 net hours


## Species composition by percent of catch gillnetting




# Striped bass and black bass percentage of catch gillnetting comparison



# Comparison of the total number of sportfish caught gillnetting



# CPUE electrofishing of selected sportfish





Questions ?

