



— BUREAU OF —
RECLAMATION

Glen Canyon Monthly Operations Call

Basin Hydrology and Operations

July 23, 2026

Background

This briefing is being provided consistent with the provision in Attachment B - Section 1.1 of the LTEMP ROD which states:

“Annually, Reclamation will develop a hydrograph based on the characteristics above. Reclamation will seek consensus on the annual hydrograph through monthly operational coordination calls with governmental entities, and regular meetings of the GCDAMP Technical Working Group (TWG) and AMWG.

Reclamation will conduct monthly Glen Canyon Dam operational coordination meetings or calls with the DOI bureaus (USGS, NPS, FWS, and BIA), WAPA, and representatives from the Basin States and UCRC. The purpose of these meetings or calls is for the participants to share and seek information on Glen Canyon Dam operations. One liaison from each Basin State and from the UCRC may participate in the monthly operational coordination meetings or calls.”




Upper Basin Storage

(as of July 19, 2026)

Reservoir	Percent Current Live Storage	Current Live Storage (maf)	Live Storage Capacity (maf)	Elevation (feet)
Fontenelle	82	0.27	0.33	6,498.17
Flaming Gorge	73	2.70	3.67	6,013.57
Blue Mesa	31	0.25	0.83	7,439.05
Navajo	56	0.92	1.65	6,025.55
Lake Powell	23	5.45	23.31	3,523.43
UC System Storage	34	10.15	29.93	
Total System Storage	34	19.91	58.48	


Data Current as of:
07/19/2026

Upper Colorado River Drainage Basin



Monthly Precipitation - May 2026


Averaged by Basin, Major Contributing Areas



Prepared by NOAA, Colorado Basin River Forecast Center
Salt Lake City, Utah, www.cbrfc.noaa.gov

Monthly Precipitation - June 2026

Averaged by Basin, Major Contributing Areas




Prepared by NOAA, Colorado Basin River Forecast Center
Salt Lake City, Utah, www.cbrfc.noaa.gov



Month to Date Precipitation - July 20 2026


Averaged by Basin, Major Contributing Areas



Prepared by NOAA, Colorado Basin River Forecast Center
Salt Lake City, Utah, www.cbrfc.noaa.gov

Water Year to Date Precipitation, October 01 - July 20 2026



Averaged by Basin, Major Contributing Areas





Prepared by NOAA, Colorado Basin River Forecast Center
Salt Lake City, Utah, www.cbrfc.noaa.gov





Weather Prediction Center and Climate Prediction Center Precipitation Forecasts



Seasonal Outlook



Upper Colorado Precipitation and SWE¹



¹Statistics are based on the 30-year period of record from 1991-2020.



Most Probable July Forecast Water Year 2026

April – July 2026
Forecasted Unregulated Inflow
as of July 1, 2026

Reservoir	Inflow (kaf)	Change from June	Percent of Avg ¹
Fontenelle	280	-50	38
Flaming Gorge	287	-63	30
Blue Mesa	151	1	24
Navajo	137	-21	22
Powell	1,080	130	17

Water Year 2026
Unregulated Inflow Forecast
as of July 1, 2026

Reservoir	Inflow (kaf)	Change from June	Percent of Avg ¹
Fontenelle	560	-53	52
Flaming Gorge	591	-67	42
Blue Mesa	381	-3	42
Navajo	545	3	60
Powell	3,501	100	36

¹Water year statistics are based on the 30-year period from 1991-2020



Most Probable July Forecast Water Year 2027

April – July 2027
Forecasted Unregulated Inflow
as of July 1, 2026

Reservoir	Inflow (kaf)	Change from June	Percent of Avg ¹
Fontenelle	615	-15	84
Flaming Gorge	760	-20	79
Blue Mesa	545	0	86
Navajo	545	0	87
Powell	5,000	-100	78

Water Year 2027
Unregulated Inflow Forecast
as of July 1, 2026

Reservoir	Inflow (kaf)	Change from June	Percent of Avg ¹
Fontenelle	865	-25	81
Flaming Gorge	1090	-30	77
Blue Mesa	735	0	81
Navajo	760	0	83
Powell	7,250	-100	75

¹Water year statistics are based on the 30-year period from 1991-2020





Upper Colorado Basin

Hydrology and Operations
Projections Based on
May and July 2026
24-Month Studies



Upper Basin Reservoir Operations

Water Year 2026 Modeling Assumptions in July 2026 24-Month Study

- Lake Powell will be operated consistent with the 2007 Interim Guidelines, the Upper Basin Drought Response Operations Agreement, and Upper Basin Records of Decision
- Lake Powell WY 2026 will operate in the Mid-Elevation Release Tier with a planned release of 6.0 maf, subject to SEIS ROD Section 6.E. provision
- Includes the Supplemental Environmental Impact Statement for Near-term Colorado River Operations Record of Decision (2024 Near-term SEIS, signed May 6, 2024)
- Includes the Glen Canyon Dam Long-Term Experimental and Management Plan Final Supplemental Environmental Impact Statement (2024 LTEMP SEIS ROD, signed July 3, 2024)



Lake Powell & Lake Mead Operational Table

Lake Powell Operational Tier Determination Run (aka "Exhibit Run")
with an 8.23 maf Release¹

Lake Powell			Lake Mead		
Elevation (feet)	Operation According to the Interim Guidelines	Live Storage (maf)	Elevation (feet)	Operation According to the Interim Guidelines	Live Storage (maf)
3,700	Equalization Tier Equalize, avoid spills, or release 8.23 maf	23.31	1,220	Flood Control Surplus or Quantified Surplus Condition Deliver > 7.5 maf	26.18
3,636-3,666 (2008-2026)	Upper Elevation Balancing Tier Release 8.23 maf If Lake Mead < 1,075 feet, balance contents with a min/max release of 7.0 and 9.0 maf	14.65-18.36 (2008-2026)	1,200 (approx.)	Domestic Surplus or ICS Surplus Condition Deliver > 7.5 maf	23.14 (approx.)
3,575		8.90	1,145	Normal or ICS Surplus Condition Deliver ≥ 7.5 maf	16.18
3,532.15 ft Jan 1, 2026 Projection	Mid-Elevation Release Tier Release 7.48 maf; if Lake Mead < 1,025 feet; release 8.23 maf If any minimum probable Lake Powell elevation projection shows Lake Powell < 3,500 feet, begin planning to reduce releases to no less than 6.0 maf		1,075	Shortage Condition Deliver 7.167 maf	1,055.88 ft Jan 1, 2026 Projection
			1,050	Shortage Condition Deliver 7.083 maf	
3,525	Lower Elevation Balancing Tier Balance contents with a min/max release of 7.0 and 9.5 maf If any minimum probable Lake Powell elevation projection shows Lake Powell < 3,500 feet, begin planning to reduce releases to no less than 6.0 maf	5.55	1,025	Shortage Condition Deliver 7.0 maf	5.98
3,500	The Secretary reserves the right to operate Reclamation facilities to protect the Colorado River system if hydrologic conditions require such action as described in Sections 6 and 7(D) in the 2007 Interim Guidelines ROD	4.22	1,000	Further measures may be undertaken	4.48
3,370		0	895		0




¹ Lake Powell and Lake Mead operational tier determinations will be documented in the draft 2026 AOP.



Potential Lake Powell Monthly Release Volume Distribution

Release Scenarios for Water Year 2026


Based on May and July 2026 Modeling



Potential Lake Powell Monthly Release Volume Distribution

Release Scenarios for Water Year 2027

Based on May and July 2026 Modeling




Reclamation Operational Modeling Model Comparison

	Colorado River Mid-term Modeling System (CRMMS)		CRSS
	24-Month Study Mode (Manual Mode)	Ensemble Mode (Rule-based Mode)	
Primary Use	AOP tier determinations and projections of current conditions	Risk-based operational planning and analysis	Long-term planning, comparison of alternatives
Simulated Reservoir Operations	Operations input manually	Rule-driven operations	
Probabilistic or Deterministic	Deterministic – single hydrologic trace	Deterministic OR Probabilistic 30 (or more) hydrologic traces	Probabilistic – 100+ traces
Time Horizon (years)			
Upper Basin Inflow	Unregulated forecast, 1 trace	Unregulated ESP forecast, 30 traces	Natural flow; historical, paleo, or climate change hydrology
Upper Basin Demands	Implicit, in unregulated inflow forecast		Explicit, 2016 UCRC assumptions
Lower Basin Demands	Official approved or operational		Developed with LB users



Lake Powell End-of-Month Elevations^{1,2}

CRMMS Projections from May and July 2026



¹For modeling purposes, simulated years beyond 2026 assume a continuation of the 2007 Interim Guidelines including the 2024 Supplement to the 2007 Interim Guidelines (no additional SEIS conservation is assumed to occur after 2026), the 2019 Colorado River Basin Drought Contingency Plans, and Minute 323 including the Binational Water Scarcity Contingency Plan. With the exception of certain provisions related to ICS recovery and Upper Basin Demand management, operations under these agreements are in effect through 2026.

²In water year 2026, Reclamation will reduce the annual release volume from Lake Powell to Lake Mead to 6.0 maf through September 2026 by implementing Section 6.E. of the Supplement to the 2007 Colorado River Interim Guidelines (Interim Guidelines SEIS). Beyond water year 2026, for modeling purposes, this graphic contains existing operational assumptions built into CRMMS that constrain Glen Canyon Dam releases, to prevent Lake Powell from falling below elevation 3,500 feet. As described in Sections 6.E and 7. B of the Interim Guidelines SEIS, Reclamation will consider all tools that are available to avoid Lake Powell elevation declining below 3,500 feet and any actual constraining of Lake Powell releases is subject to appropriate consultation between Reclamation and other Basin partners with respect to the implementation of potential releases. Whereas, the Probable Minimum scenario shows Lake Powell elevations without any Glen Canyon Dam release constraints, beyond water year 2026, so Reclamation and Basin partners can assess the hydrology and be prepared to discuss appropriate solutions.



Drought Response Operations Summary Sheet

The tables below reflect operations under the Drought Response Operating Agreement (DROA) under the 2026 DROA Plan.¹ These tables will be updated on a monthly basis to reflect Drought Response Operations, which include releases and recovery.

Drought Response Operations may differ from planned operations due to changes in hydrologic conditions and real-time operations. All units are in thousands of acre-feet (kaf). Positive values indicate Drought Response Operations Releases, and negative values indicate Drought Response Operations Recovery. Recovery volumes are provisional and subject to discussion among DROA parties.

		Flaming Gorge				Blue Mesa				Navajo				Monthly Total DRO				DROA Year	
		Release		Recovery		Release		Recovery		Release		Recovery		Release		Recovery		Completed DRO - Cumulative Total	All Completed DRO - Cumulative Total
DRO Year	Month	Planned	Completed	Planned	Completed	Planned	Completed	Planned	Completed	Planned	Completed	Planned	Completed	Planned	Completed	Planned	Completed		
2026	Apr-26	19	18			0	0			0	0			19	18			18	18
	May-26	188	156			0	0			0	0			188	156			156	175
	Jun-26	37	64			0	0			0	0			37	64			64	239
	Jul-26	61				0				0				61					
	Aug-26	61				0				0				61					
	Sep-26	60				0				0				60					
	Oct-26	89				0				0				89					
	Nov-26	86				0				0				86					
	Dec-26	87				0				0				87					
	Jan-27	86				0				0				86					
	Feb-27	76				0				0				76					
	Mar-27	76				0				0				76					
Apr-27	74				0				0				74						

Total DRO Releases and Recovery as of June 30, 2026


DRO Year	Flaming Gorge					Blue Mesa					Navajo				
	Release		Recovery		Completed DRO	Release		Recovery		Completed DRO	Release		Recovery		Completed DRO
	Planned	Completed	Planned	Completed		Planned	Completed	Planned	Completed		Planned	Completed	Planned	Completed	
2026	1,000	239	0	0	239	0	0	0	0	0	0	0	0	0	239
Total	1,000	239	0	0	239	0	0	0	0	0	0	0	0	0	239

<https://www.usbr.gov/ColoradoRiverBasin/documents/dcp/DROA/DROSummarySheet.pdf>



Lake Mead End-of-Month Elevations^{1,2}

CRMMS Projections from May and July 2026



¹For modeling purposes, simulated years beyond 2026 assume a continuation of the 2007 Interim Guidelines including the 2024 Supplement to the 2007 Interim Guidelines (no additional SEIS conservation is assumed to occur after 2026), the 2019 Colorado River Basin Drought Contingency Plans, and Minute 323 including the Binational Water Scarcity Contingency Plan. With the exception of certain provisions related to ICS recovery and Upper Basin Demand management, operations under these agreements are in effect through 2026.

²In water year 2026, Reclamation will reduce the annual release volume from Lake Powell to Lake Mead to 6.0 maf through September 2026 by implementing Section 6.E. of the Supplement to the 2007 Colorado River Interim Guidelines (Interim Guidelines SEIS). Beyond water year 2026, for modeling purposes, this graphic contains existing operational assumptions built into CRMMS that constrain Glen Canyon Dam releases, to prevent Lake Powell from falling below elevation 3,500 feet. As described in Sections 6.E and 7. B of the Interim Guidelines SEIS, Reclamation will consider all tools that are available to avoid Lake Powell elevation declining below 3,500 feet and any actual constraining of Lake Powell releases is subject to appropriate consultation between Reclamation and other Basin partners with respect to the implementation of potential releases. Whereas, the Probable Minimum scenario shows Lake Powell elevations without any Glen Canyon Dam release constraints, beyond water year 2026, so Reclamation and Basin partners can assess the hydrology and be prepared to discuss appropriate solutions.





Upper Colorado Basin

Hydropower Maintenance



Glen Canyon Power Plant Planned Unit Outage Schedule for Water Year 2026

Unit Number	Oct 2025	Nov 2025	Dec 2025	Jan 2026	Feb 2026	Mar 2026	Apr 2026	May 2026	Jun 2026	Jul 2026	Aug 2026	Sep 2026	
1													
2													
3													
4													
5													
6													
7													
8													
Units Available	6	6	6	6	5	5	5	5	6	6	6	4	
Penstock Capacity (cfs)										17,600	17,300	10,800	JULY MOST ²
Penstock Capacity (kaf/month)										1,080	1,060	640	JULY MOST
Max (kaf) ¹	480	500	501	625	525	500	471	459	509	482	482	466	6.00 maf
Most (kaf) ¹	480	500	501	625	525	500	471	459	509	482	482	469	6.00 maf
Min (kaf) ¹	480	500	501	625	525	500	471	459	509	482	482	469	6.00 maf
										(updated 7/20/2026)			

1 Projected release based on July 2026 24-Month Study for the minimum, most, and maximum probable scenarios.

2 Dependent upon availability to shift contingency regulation, which will increase capacity by 30-40MW at current efficiency.


Glen Canyon Power Plant Planned Unit Outage Schedule for Water Year 2027

Unit Number	Oct 2026	Nov 2026	Dec 2026	Jan 2027	Feb 2027	Mar 2027	Apr 2027	May 2027	Jun 2027	Jul 2027	Aug 2027	Sep 2027	
1													
2													
3													
4													
5													
6													
7													
8													
Units Available	4	6	6	6	4	6	5	6	6	6	6	4	
Penstock Capacity (cfs)	11,400	16,200	17,100	15,400	11,000	16,500	14,500	15,700	17,700	17,700	17,100	10,800	JULY MOST ²
Penstock Capacity (kaf/month)	700	1,030	1,050	950	610	1,010	860	970	1,050	1,090	1,050	650	JULY MOST
Max (kaf) ¹	480	500	600	664	587	882	785	800	850	950	990	671	8.76 maf
Most (kaf) ¹	480	500	600	664	587	620	552	550	577	652	696	522	7.00 maf
Min (kaf) ¹	480	500	600	664	587	620	552	550	577	652	696	522	7.00 maf
										(updated 7/20/2026)			


1 Projected release based on JUNE 2026 24-Month Study for the minimum. Most, and maximum probable scenarios.

2 Dependent upon availability to shift contingency regulation, which will increase capacity by 30-40MW at current efficiency.


Glen Canyon Dam Hourly Release Pattern - June 2026



Glen Canyon Dam Hourly Release Pattern - July 2026



Glen Canyon Dam Hourly Release Pattern - August 2026






— BUREAU OF —
RECLAMATION

Water Quality Update


07/23/2026

June 2026 – Powell Lake Wide Sampling




June 2026 – Powell Lake Wide Sampling



Lake Powell WQ Sampling Trip: 23-Jun-2026



June 2026 – Powell Lake Wide Sampling





Wahweap June Profiles





Wahweap June Profiles


Turbidity



Specific Conductivity




Lee's Ferry - Temperature



* Credit to USGS for data. Preliminary, not for citation.




Lees Ferry – Dissolved Oxygen



* Credit to USGS for data. Preliminary, not for citation.




Lees Ferry – Specific Conductivity



* Credit to USGS for data. Preliminary, not for citation.




River Sites Combined



* Credit to USGS for data. Preliminary, not for citation.

Glen Canyon Dam Release - Projected Temperature (*Eppehimer et al, 2024 model)



* <https://doi.org/10.1101/2024.01.23.576966>



Questions?



— BUREAU OF —
RECLAMATION